eurofins | Spectrum Analytical

☐ Final Report
☑ Revised Report

Report Date:
08-Feb-18 17:05

Laboratory Report
SC43423

Gulf Oil L.P.
281 Eastern Avenue
Chelsea, MA 02150
Attn: Andrew P. Adams

Project: Gulf Terminal - Chelsea, MA
Project #: Gulf Chelsea

I attest that the information contained within the report has been reviewed for accuracy and checked against the quality control requirements for each method. These results relate only to the sample(s) as received.
All applicable NELAC requirements have been met.

Massachusetts # M-MA138/MA1110
Connecticut # PH-0777
Florida # E87936
Maine # MA138
New Hampshire # 2972/2538
New Jersey # MA011
New York # 11393
Pennsylvania # 68-04426/68-02924
Rhode Island # LAO00348
USDA # P330-15-00375
Vermont # VT-11393

Authorized by:

Christina White
Technical Director

Christina A. White

Eurofins Spectrum Analytical holds primary certification in the State of Massachusetts for the analytes as indicated with an X in the "Cert." column within this report. Please note that the State of Massachusetts does not offer certification for all analytes. Please refer to our website for specific certification holdings in each state.
Please note that this report contains 13 pages of analytical data plus Chain of Custody document(s). When the Laboratory Report is indicated as revised, this report supersedes any previously dated reports for the laboratory ID(s) referenced above. Where this report identifies subcontracted analyses, copies of the subcontractor's test report are available upon request. This report may not be reproduced, except in full, without written approval from Eurofins Spectrum Analytical, Inc.

Eurofins Spectrum Analytical, Inc. is a NELAC accredited laboratory organization and meets NELAC testing standards. Use of the NELAC logo however does not insure that Eurofins Spectrum Analytical, Inc. is currently accredited for the specific method or analyte indicated. Please refer to our 'Quality' web page at www.spectrum-analytical.com for a full listing of our current certifications and fields of accreditation. States in which Eurofins Spectrum Analytical, Inc. holds NELAC certification are New York, New Hampshire, New Jersey, Pennsylvania and Florida. All analytical work for Volatile Organic and Air analysis are transferred to and conducted at our 830 Silver Street location (PA-68-04426).

Please contact the Laboratory or Technical Director at 800-789-9115 with any questions regarding the data contained in this laboratory report.

Sample Summary

Work Order: SC43423

Project: Gulf Terminal - Chelsea, MA

Project Number: Gulf Chelsea

Laboratory ID	Client Sample ID	Matrix	Date Sampled	Date Received
SC43423-01	Outfall 003	Surface Water	25-Jan-18 08:45	25-Jan-18 14:40
SC43423-02	TB-1 (Trip Blank)	Aqueous	25-Jan-18 00:00	25-Jan-18 14:40

CASE NARRATIVE:

Data has been reported to the RDL. This report excludes estimated concentrations detected below the RDL and above the MDL (J-Flag).

All non-detects and all results below the reporting limit are reported as "<" (less than) the reporting limit in this report.

The samples were received 1.6 degrees Celsius, please refer to the Chain of Custody for details specific to temperature upon receipt. An infrared thermometer with a tolerance of +/- 1.0 degrees Celsius was used immediately upon receipt of the samples.

If a Matrix Spike (MS), Matrix Spike Duplicate (MSD) or Duplicate (DUP) was not requested on the Chain of Custody, method criteria may have been fulfilled with a source sample not of this Sample Delivery Group. If method or program required MS/MSD/Dup were not performed, sufficient sample was not provided to the laboratory.

Analyses for Total Hardness, pH, and Total Residual Chlorine fall under the state of Pennsylvania code Chapter 252.6 accreditation by rule.

February 8, 2018 Report Revision Case Narrative:

This report has been revised to update the analyte list for 8270 as requested.

See below for any non-conformances and issues relating to quality control samples and/or sample analysis/matrix.

SW846 8260C

Calibration:

1801070

Analyte quantified by quadratic equation type calibration.

Naphthalene

This affected the following samples:

1801129-BLK1
1801129-BS1
1801129-BSD1
Outfall 003
S816062-ICV1
S816241-CCV1
TB-1 (Trip Blank)

SW846 8270D SIM

Samples:

S816305-CCV1

Analyte percent difference is outside individual acceptance criteria (20), but within overall method allowances.

Indeno (1,2,3-cd) pyrene (-25.2%)

This affected the following samples:

1801124-BLK1
1801124-BS1
1801124-BSD1

Sample Acceptance Check Form

Client:	Gulf Oil L.P.
Project:	Gulf Terminal - Chelsea, MA / Gulf Chelsea
Work Order:	SC43423
Sample(s) received on:	1/25/2018

The following outlines the condition of samples for the attached Chain of Custody upon receipt.

	Yes	No	N/A
Were custody seals present?	☐	☑	☐
Were custody seals intact?	☐	☐	☑
Were samples received at a temperature of ≤ 6°C?	☑	☐	☐
Were samples refrigerated upon transfer to laboratory representative?	☑	☐	☐
Were sample containers received intact?	☑	☐	☐
Were samples properly labeled (labels affixed to sample containers and include sample ID, site location, and/or project number and the collection date)?	☑	☐	☐
Were samples accompanied by a Chain of Custody document?	☑	☐	☐
Does Chain of Custody document include proper, full, and complete documentation, which shall include sample ID, site location, and/or project number, date and time of collection, collector's name, preservation type, sample matrix and any special remarks concerning the sample?	☑	☐	☐
Did sample container labels agree with Chain of Custody document?	☑	☐	☐
Were samples received within method-specific holding times?	☑	☐	☐

Summary of Hits

Lab ID: SC43423-01 **Client ID:** Outfall 003

Parameter	Result	Flag	Reporting Limit	Units	Analytical Method
Total Suspended Solids	25.8		1.2	mg/l	SM2540D (11)
Benzene	1.2		1.0	µg/l	SW846 8260C
Naphthalene	0.198		0.047	µg/l	SW846 8270D SIM

Please note that because there are no reporting limits associated with hazardous waste characterizations or micro analyses, this summary does not include hits from these analyses if included in this work order.

Sample Identification	Client Project #	Matrix	Collection Date/Time	Received
Outfall 003	Gulf Chelsea	Surface Water	25-Jan-18 08:45	25-Jan-18
SC43423-01				

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.
Volatile Organic Compounds													
Volatile Organic Aromatics by SW846 8260 Prepared by method SW846 5030 Water MS													
71-43-2	Benzene	**1.2**		µg/l	1.0	0.3	1	SW846 8260C	26-Jan-18	30-Jan-18	GMA	1801129	
91-20-3	Naphthalene	< 1.0		µg/l	1.0	0.4	1	"	"	"	"	"	
Surrogate recoveries:													
460-00-4	*4-Bromofluorobenzene*	*111*			*70-130 %*			"	"	"	"	"	
2037-26-5	*Toluene-d8*	*102*			*70-130 %*			"	"	"	"	"	
17060-07-0	*1,2-Dichloroethane-d4*	*99*			*70-130 %*			"	"	"	"	"	
1868-53-7	*Dibromofluoromethane*	*105*			*70-130 %*			"	"	"	"	"	
Semivolatile Organic Compounds by GCMS													
SVOCs by SIM Prepared by method SW846 3510C													
50-32-8	Benzo (a) pyrene	< 0.047		µg/l	0.047	0.019	1	SW846 8270D SIM	26-Jan-18	26-Jan-18	MSL	1801124	
91-20-3	Naphthalene	**0.198**		µg/l	0.047	0.020	1	"	"	"	"	"	
Surrogate recoveries:													
205440-82-0	*Benzo (e) pyrene-d12*	*72*			*30-130 %*			"	"	"	"	"	
Extractable Petroleum Hydrocarbons Prepared by method General Preparation SVOC													
	Oil & Grease	< 1.00	OG	mg/l	1.00	0.915	1	EPA 1664B	05-Feb-18	06-Feb-18	DJS	1801626	X
General Chemistry Parameters													
	pH	**6.63**	pH	pH Units			1	ASTM D 1293-99B	25-Jan-18 17:00	25-Jan-18 17:30	BD	1801116	X
	Total Suspended Solids	**25.8**		mg/l	1.2	0.5	1	SM2540D (11)	26-Jan-18	30-Jan-18	CMB	1801137	X

Sample Identification	Client Project #	Matrix	Collection Date/Time	Received
TB-1 (Trip Blank)	Gulf Chelsea	Aqueous	25-Jan-18 00:00	25-Jan-18
SC43423-02				

CAS No.	*Analyte(s)*	*Result*	*Flag*	*Units*	**RDL*	*MDL*	*Dilution*	*Method Ref.*	*Prepared*	*Analyzed*	*Analyst*	*Batch*	*Cert.*
Volatile Organic Compounds													
Volatile Organic Aromatics by SW846 8260 Prepared by method SW846 5030 Water MS													
71-43-2	Benzene	< 1.0		µg/l	1.0	0.3	1	SW846 8260C	26-Jan-18	30-Jan-18	GMA	1801129	
91-20-3	Naphthalene	< 1.0		µg/l	1.0	0.4	1	"	"	"	"	"	
Surrogate recoveries:													
460-00-4	*4-Bromofluorobenzene*	*107*			*70-130 %*			"	"	"	"	"	
2037-26-5	*Toluene-d8*	*101*			*70-130 %*			"	"	"	"	"	
17060-07-0	*1,2-Dichloroethane-d4*	*99*			*70-130 %*			"	"	"	"	"	
1868-53-7	*Dibromofluoromethane*	*106*			*70-130 %*			"	"	"	"	"	

Analyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
SW846 8260C										
Batch 1801129 - SW846 5030 Water MS										
Blank (1801129-BLK1)						Prepared: 26-Jan-18 Analyzed: 29-Jan-18				
Benzene	< 1.0		µg/l	1.0						
Naphthalene	< 1.0		µg/l	1.0						
Surrogate: 4-Bromofluorobenzene	*54.6*		µg/l		*50.0*		*109*	*70-130*		
Surrogate: Toluene-d8	*50.2*		µg/l		*50.0*		*100*	*70-130*		
Surrogate: 1,2-Dichloroethane-d4	*49.4*		µg/l		*50.0*		*99*	*70-130*		
Surrogate: Dibromofluoromethane	*53.2*		µg/l		*50.0*		*106*	*70-130*		
LCS (1801129-BS1)						Prepared: 26-Jan-18 Analyzed: 29-Jan-18				
Benzene	**20.7**		µg/l		20.0		103	70-130		
Naphthalene	**20.0**		µg/l		20.0		100	70-130		
Surrogate: 4-Bromofluorobenzene	*52.5*		µg/l		*50.0*		*105*	*70-130*		
Surrogate: Toluene-d8	*50.8*		µg/l		*50.0*		*102*	*70-130*		
Surrogate: 1,2-Dichloroethane-d4	*49.6*		µg/l		*50.0*		*99*	*70-130*		
Surrogate: Dibromofluoromethane	*53.2*		µg/l		*50.0*		*106*	*70-130*		
LCS Dup (1801129-BSD1)						Prepared: 26-Jan-18 Analyzed: 29-Jan-18				
Benzene	**19.4**		µg/l		20.0		97	70-130	7	20
Naphthalene	**18.1**		µg/l		20.0		91	70-130	10	20
Surrogate: 4-Bromofluorobenzene	*51.8*		µg/l		*50.0*		*104*	*70-130*		
Surrogate: Toluene-d8	*50.3*		µg/l		*50.0*		*101*	*70-130*		
Surrogate: 1,2-Dichloroethane-d4	*50.4*		µg/l		*50.0*		*101*	*70-130*		
Surrogate: Dibromofluoromethane	*52.3*		µg/l		*50.0*		*105*	*70-130*		

Analyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
SW846 8270D SIM										
Batch 1801124 - SW846 3510C										
Blank (1801124-BLK1)					Prepared & Analyzed: 26-Jan-18					
Acenaphthene	< 0.051		µg/l	0.051						
Acenaphthylene	< 0.051		µg/l	0.051						
1-Methylnaphthalene	< 0.051		µg/l	0.051						
Anthracene	< 0.051		µg/l	0.051						
Benzo (a) anthracene	< 0.051		µg/l	0.051						
Benzo (a) pyrene	< 0.051		µg/l	0.051						
Benzo (b) fluoranthene	< 0.051		µg/l	0.051						
Benzo (g,h,i) perylene	< 0.051		µg/l	0.051						
Benzo (k) fluoranthene	< 0.051		µg/l	0.051						
Chrysene	< 0.051		µg/l	0.051						
Dibenzo (a,h) anthracene	< 0.051		µg/l	0.051						
Fluoranthene	< 0.051		µg/l	0.051						
Fluorene	< 0.051		µg/l	0.051						
Indeno (1,2,3-cd) pyrene	< 0.051		µg/l	0.051						
2-Methylnaphthalene	< 0.051		µg/l	0.051						
Naphthalene	< 0.051		µg/l	0.051						
Phenanthrene	< 0.051		µg/l	0.051						
Pyrene	< 0.051		µg/l	0.051						
Surrogate: Benzo (e) pyrene-d12	*0.687*		µg/l		*1.01*		*68*	*30-130*		
LCS (1801124-BS1)					Prepared & Analyzed: 26-Jan-18					
Acenaphthene	**0.535**		µg/l	0.051	1.01		53	40-140		
Acenaphthylene	**0.551**		µg/l	0.051	1.01		55	40-140		
1-Methylnaphthalene	**0.539**		µg/l	0.051	1.01		53	40-140		
Anthracene	**0.724**		µg/l	0.051	1.01		72	40-140		
Benzo (a) anthracene	**0.897**		µg/l	0.051	1.01		89	40-140		
Benzo (a) pyrene	**0.716**		µg/l	0.051	1.01		71	40-140		
Benzo (b) fluoranthene	**0.752**		µg/l	0.051	1.01		74	40-140		
Benzo (g,h,i) perylene	**0.635**		µg/l	0.051	1.01		63	40-140		
Benzo (k) fluoranthene	**0.822**		µg/l	0.051	1.01		81	40-140		
Chrysene	**0.787**		µg/l	0.051	1.01		78	40-140		
Dibenzo (a,h) anthracene	**0.700**		µg/l	0.051	1.01		69	40-140		
Fluoranthene	**0.820**		µg/l	0.051	1.01		81	40-140		
Fluorene	**0.737**		µg/l	0.051	1.01		73	40-140		
Indeno (1,2,3-cd) pyrene	**0.702**		µg/l	0.051	1.01		70	40-140		
2-Methylnaphthalene	**0.659**		µg/l	0.051	1.01		65	40-140		
Naphthalene	**0.506**		µg/l	0.051	1.01		50	40-140		
Phenanthrene	**0.836**		µg/l	0.051	1.01		83	40-140		
Pyrene	**0.826**		µg/l	0.051	1.01		82	40-140		
Surrogate: Benzo (e) pyrene-d12	*0.899*		µg/l		*1.01*		*89*	*30-130*		
LCS Dup (1801124-BSD1)					Prepared & Analyzed: 26-Jan-18					
Acenaphthene	**0.531**		µg/l	0.050	1.00		53	40-140	0.8	20
Acenaphthylene	**0.548**		µg/l	0.050	1.00		55	40-140	0.5	20
1-Methylnaphthalene	**0.522**		µg/l	0.050	1.00		52	40-140	3	20
Anthracene	**0.684**		µg/l	0.050	1.00		68	40-140	6	20
Benzo (a) anthracene	**0.815**		µg/l	0.050	1.00		82	40-140	10	20
Benzo (a) pyrene	**0.698**		µg/l	0.050	1.00		70	40-140	3	20
Benzo (b) fluoranthene	**0.772**		µg/l	0.050	1.00		77	40-140	3	20
Benzo (g,h,i) perylene	**0.671**		µg/l	0.050	1.00		67	40-140	5	20
Benzo (k) fluoranthene	**0.820**		µg/l	0.050	1.00		82	40-140	0.3	20
Chrysene	**0.817**		µg/l	0.050	1.00		82	40-140	4	20

Analyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
SW846 8270D SIM										
Batch 1801124 - SW846 3510C										
LCS Dup (1801124-BSD1)					Prepared & Analyzed: 26-Jan-18					
Dibenzo (a,h) anthracene	**0.755**		µg/l	0.050	1.00		76	40-140	8	20
Fluoranthene	**0.763**		µg/l	0.050	1.00		76	40-140	7	20
Fluorene	**0.730**		µg/l	0.050	1.00		73	40-140	1	20
Indeno (1,2,3-cd) pyrene	**0.707**		µg/l	0.050	1.00		71	40-140	0.7	20
2-Methylnaphthalene	**0.588**		µg/l	0.050	1.00		59	40-140	11	20
Naphthalene	**0.509**		µg/l	0.050	1.00		51	40-140	0.6	20
Phenanthrene	**0.835**		µg/l	0.050	1.00		84	40-140	0.2	20
Pyrene	**0.836**		µg/l	0.050	1.00		84	40-140	1	20
Surrogate: Benzo (e) pyrene-d12	*0.850*		µg/l		*1.00*		*85*	*30-130*		

Extractable Petroleum Hydrocarbons - Quality Control

Analyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
EPA 1664B										
Batch 1801626 - General Preparation SVOC										
Blank (1801626-BLK1)						Prepared: 05-Feb-18 Analyzed: 06-Feb-18				
Oil & Grease	< 1.03		mg/l	1.03						
LCS (1801626-BS1)						Prepared: 05-Feb-18 Analyzed: 06-Feb-18				
Oil & Grease	**36.1**		mg/l	1.02	40.4		89	78-114		

General Chemistry Parameters - Quality Control

Analyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
ASTM D 1293-99B										
Batch 1801116 - General Preparation										
Reference (1801116-SRM1)						Prepared & Analyzed: 25-Jan-18				
pH	**6.05**		pH Units		6.00		101	97.5-102.5		
Reference (1801116-SRM2)						Prepared & Analyzed: 25-Jan-18				
pH	**6.01**		pH Units		6.00		100	97.5-102.5		
SM2540D (11)										
Batch 1801137 - General Preparation										
Blank (1801137-BLK1)						Prepared: 26-Jan-18 Analyzed: 30-Jan-18				
Total Suspended Solids	< 0.5		mg/l	0.5						
LCS (1801137-BS1)						Prepared: 26-Jan-18 Analyzed: 30-Jan-18				
Total Suspended Solids	**92.0**		mg/l	10.0	100		92	90-110		

Notes and Definitions

dry	Sample results reported on a dry weight basis
NR	Not Reported
RPD	Relative Percent Difference
OG	The required Matrix Spike and Matrix Spike Duplicate (MS/MSD) for Oil & Grease method 1664B can only be analyzed when the client has submitted sufficient sample volume. An extra liter per MS/MSD is required to fulfill the method QC criteria. Please refer to Chain of Custody and QC Summary (MS/MSD) of the Laboratory Report to verify ample sample volume was submitted to fulfill the requirement.
pH	The method for pH does not stipulate a specific holding time other than to state that the samples should be analyzed as soon as possible. For aqueous samples the 40 CFR 136 specifies a holding time of 15 minutes from sampling to analysis. Therefore all aqueous pH samples not analyzed in the field are considered out of hold time at the time of sample receipt. All soil samples are analyzed as soon as possible after sample receipt.

Laboratory Control Sample (LCS): A known matrix spiked with compound(s) representative of the target analytes, which is used to document laboratory performance.

Matrix Duplicate: An intra-laboratory split sample which is used to document the precision of a method in a given sample matrix.

Matrix Spike: An aliquot of a sample spiked with a known concentration of target analyte(s). The spiking occurs prior to sample preparation and analysis. A matrix spike is used to document the bias of a method in a given sample matrix.

Method Blank: An analyte-free matrix to which all reagents are added in the same volumes or proportions as used in sample processing. The method blank should be carried through the complete sample preparation and analytical procedure. The method blank is used to document contamination resulting from the analytical process.

Method Detection Limit (MDL): The minimum concentration of a substance that can be measured and reported with 99% confidence that the analyte concentration is greater than zero and is determined from analysis of a sample in a given matrix type containing the analyte.

Reportable Detection Limit (RDL): The lowest concentration that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operating conditions. For many analytes the RDL analyte concentration is selected as the lowest non-zero standard in the calibration curve. While the RDL is approximately 5 to 10 times the MDL, the RDL for each sample takes into account the sample volume/weight, extract/digestate volume, cleanup procedures and, if applicable, dry weight correction. Sample RDLs are highly matrix-dependent.

Surrogate: An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. These compounds are spiked into all blanks, standards, and samples prior to analysis. Percent recoveries are calculated for each surrogate.

Continuing Calibration Verification: The calibration relationship established during the initial calibration must be verified at periodic intervals. Concentrations, intervals, and criteria are method specific.

SC43423 8pm

eurofins | Spectrum Analytical

CHAIN OF CUSTODY RECORD

Page 1 of 1

Special Handling:
- ☑ Standard TAT - 7 to 10 business days
- ☐ Rush TAT - Date Needed: _____

All TATs subject to laboratory approval
Min. 24-hr notification needed for rushes
Samples disposed after 30 days unless otherwise instructed.

Report To: Andrew Adams
Gulf Oil LP
281 Eastern Ave.
Chelsea MA 02150
Telephone #: 617 884-5980
Project Mgr: Andrew Adams

Invoice To: Christopher Gill
Gulf Oil LP
80 William Street, Suite 400
Wellesley MA. 02481-3705
P.O No.: _____ Quote #: _____

Project No: Gulf Chelsea
Site Name: Gulf Chelsea Terminal
Location: 281 Eastern Ave. State: MA
Sampler(s): Aleksandar Marinkovic
AECOM

F=Field Filtered 1=Na_2S2O_3 2=HCl 3=H_2SO_4 4=HNO_3 5=NaOH 6=Ascorbic Acid
7=CH_3OH 8=$NaHSO_4$ 9=Deionized Water 10=H_3PO_4 11=_____ 12=_____

DW=Drinking Water GW=Groundwater SW=Surface Water WW=Waste Water
O=Oil SO=Soil SL=Sludge A=Indoor/Ambient Air SG=Soil Gas
X1=_____ X2=_____ X3=_____

G= Grab C=Compsite

Lab ID:	Sample ID:	Date:	Time:	Type	Matrix	Containers: # of VOA Vials	# of Amber Glass	# of Clear Glass	# of Plastic	Analysis: VOCs (Benz, Naphth)	PAHs	TSS	pH	O&G	Check if chlorinated	QA/QC Reporting Notes: * additional charges may appply
SC43423-01	Outfall 003	1-25-18	0845		SW	3				✓					☐	Matrix is SW per project history
	Outfall 003	1-25-18	0845				2				✓				☐	
	Outfall 003	1-25-18	0845						1			✓			☐	
	Outfall 003	1-25-18	0845						1				✓		☐	
	Outfall 003	1-25-18	0845				1							✓	☐	Am 1/25
02	TB-1 (Trip Blank					2									☐	
															☐	
															☐	
															☐	
															☐	

List Preservative Code below: 2 | 3

MA DEP MCP CAM Report? ☐ Yes ☐ No
CT DPH RCP Report? ☐ Yes ☐ No
☐ Standard ☐ No QC ☐ DQA*
☐ ASP A* ☐ ASP B*
☐ NJ Reduced* ☐ NJ Full*
☐ Tier II* ☐ Tier IV*
☐ Other: _____
State-specific reporting standards:

Relinquished by:	Received by:	Date:	Time:	Temp °C
[signature]	[signature]	1-25-18	0915	Observed 1.6
[signature]	[signature]	1/25/18	1440	Correction Factor 0
				Corrected 1.6
				IR ID # 02

☐ EDD format: _____
☐ E-mail to: jennifer.atkins@aecom.com
* Please send report to ↑

Condition upon receipt: Custody Seals: ☐ Present ☐ Intact ☐ Broken
☐ Ambient ☐ Iced ☒ Refrigerated ☐ DI VOA Frozen ☐ Soil Jar Frozen

Batch Summary

1801116

General Chemistry Parameters

1801116-SRM1
1801116-SRM2
SC43423-01 (Outfall 003)

1801124

Semivolatile Organic Compounds by GCMS

1801124-BLK1
1801124-BS1
1801124-BSD1
SC43423-01 (Outfall 003)

1801129

Volatile Organic Compounds

1801129-BLK1
1801129-BS1
1801129-BSD1
SC43423-01 (Outfall 003)
SC43423-02 (TB-1 (Trip Blank))

1801137

General Chemistry Parameters

1801137-BLK1
1801137-BS1
SC43423-01 (Outfall 003)

1801626

Extractable Petroleum Hydrocarbons

1801626-BLK1
1801626-BS1
SC43423-01 (Outfall 003)

S711062

Semivolatile Organic Compounds by GCMS

S711062-CAL1
S711062-CAL2
S711062-CAL3
S711062-CAL4
S711062-CAL5
S711062-CAL6
S711062-CAL7
S711062-CAL8
S711062-CAL9
S711062-ICV1
S711062-LCV1
S711062-LCV2
S711062-TUN1

S816062

Volatile Organic Compounds

S816062-CAL1
S816062-CAL2
S816062-CAL3
S816062-CAL4
S816062-CAL5
S816062-CAL6
S816062-CAL7
S816062-CAL8
S816062-CAL9
S816062-ICV1
S816062-LCV1
S816062-LCV2
S816062-TUN1

S816241

Volatile Organic Compounds

S816241-CCV1
S816241-TUN1

S816305

Semivolatile Organic Compounds by GCMS

S816305-CCV1
S816305-TUN1